


Gegenring ASP-563-G

Speziell für den Heisswassereinsatz



D ₁	D ₂₁	D ₂₂	L ₁	L ₃₁	t ₁	t ₂	x	y	z
28	44.65	50.57	24	8.5	6.6	22.6	24	9	8
30	47.83	53.75	24.5	9	6.6	22.6	24	9	8
32	47.83	53.75	24.5	9	6.6	22.6	24	9	8
33	47.83	53.75	24.5	9	6.6	22.6	24	9	8
35	51	56.92	24.5	9	6.6	22.6	24	9	8
38	54.18	60.1	26	11	6.6	22.6	24	9	8
40	60.53	66.45	26	11	6.6	22.6	24	9	8
43	63.7	69.62	26	11	6.6	22.6	24	9	8
45	63.7	69.62	26	11	6.6	22.6	24	9	8
48	66.88	72.8	26	11	6.6	22.6	24	9	8
50	70.05	75.97	26.5	12.5	6.6	24.6	24	9	8
53	76.4	82.32	26.5	12.5	6.6	24.6	24	9	8
55	76.4	82.32	28.5	12.5	6.6	24.6	26	11	8
58	79.58	85.5	28.5	12.5	6.6	24.6	26	11	8
60	82.75	88.67	28.5	12.5	6.6	24.6	26	11	8
63	85.93	91.85	28.5	12.5	6.6	24.6	26	11	8
65	85.93	91.85	28.5	12.5	6.6	24.6	26	11	8
70	89.1	95.02	30.5	14.5	6.6	24.6	26	11	8
75	98.63	104.55	30.5	14.5	6.6	24.6	26	11	8
80	101.8	107.72	30.2	14	6.6	24.6	26	11	8
85	108.15	114.07	30.2	14	6.6	24.6	26	11	8
90	114.5	120.42	30.2	14	6.6	24.6	26	11	8
95	117.68	123.6	29.2	14	6.6	24.6	26	11	8
100	124.03	129.95	29.2	14	6.6	24.6	26	11	8
105	128.98	134.9	29.2	15.2	6.6	24.6	26	11	8
110	135.3	141.2	32.5	14.5	6.6	28.6	30	13	9.5
115	140.3	146.2	32.5	14.5	6.6	28.6	30	13	9.5
120	145.3	151.2	32.5	14.5	6.6	28.6	30	13	9.5
125	150.3	156.2	32.5	14.5	6.6	28.6	30	13	9.5
130	155.3	161.2	32.5	14.5	6.6	28.6	30	13	9.5
135	160.3	166.2	32.5	14.5	6.6	28.6	30	13	9.5
140	165.3	171.2	32.5	14.5	6.6	28.6	30	13	9.5
145	172.3	178.2	34.5	16.5	7.1	30.1	32	14	10
150	177.3	183.2	34.5	16.5	7.1	30.1	32	14	10
155	182.3	188.2	34.5	16.5	7.1	30.1	32	14	10
160	187.3	193.2	34.5	16.5	7.1	30.1	32	14	10
165	192.3	198.2	34.5	16.5	7.1	30.1	32	14	10
170	197.3	203.2	37	16.5	7.1	32.1	34.5	16	10
175	202.3	208.2	37	16.5	7.1	32.1	34.5	16	10
180	207.3	213.2	37	16.5	7.1	32.1	34.5	16	10
185	212.3	218.2	37	16.5	7.1	32.1	34.5	16	10
190	217.3	223.2	37	16.5	7.1	32.1	34.5	16	10
195	225.3	231.2	37	17.5	7.1	32.1	34.5	16	10
200	230.3	236.2	37	17.5	7.1	32.1	34.5	16	10

Angaben in mm

Stückzahl	Wellendurchmesser	Gegenring, Typ	Materialien	Sekundärdichtung
		ASP-563-G	<input type="checkbox"/> SiC (Q) <input type="checkbox"/> andere:	<input type="checkbox"/> EPDM (E) <input type="checkbox"/> NBR (P) <input type="checkbox"/> FKM (V) <input type="checkbox"/> andere:

Senden Sie dieses Formular an aspag@aspag-ag.ch und wir senden Ihnen ein Angebot zu.